


LED LIGHTING

24

# RECESSED FIXTURES

Downlight fixtures



**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

## GL 219

LED ~230V 50/60 Hz Ra>80




Model	Watt	LEDs (pcs)	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
					D	H	D1		
GL219WH	5x1W	5	350	4000-4300	108	70	95	<b>92LED219WH</b>	40
GL219WW	5x1W	5	350	2700-3000	108	70	95	<b>92LED219WW</b>	40

**Body:** aluminium alloy | **LED type:** epistar


# LED LIGHTING

## Downlight fixtures




**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

### GL 220



Model	Watt	LEDs (pcs)	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
					D	H	D1		
GL220WH	7x1W	7	490	4000-4300	108	70	95	<b>92LED220WH</b>	40
GL220WW	7x1W	7	490	2700-3000	108	70	95	<b>92LED220WW</b>	40

**Body:** aluminium alloy | **LED type:** epistar




**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

### GL 221



Model	Watt	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
				D	H	D1		
GL221WH	12x1W	960	4000-4300	135	66	120	<b>92LED221WH</b>	20
GL221WW	12x1W	960	2700-3000	135	66	120	<b>92LED221WW</b>	20

**Body:** aluminium alloy | **LED type:** epistar




**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

### GL 222



Model	Watt	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
				D	H	D1		
GL222WH	18x1W	1260	4000-4300	160	95	145	<b>92LED222WH</b>	12
GL222WW	18x1W	1260	2700-3000	160	95	145	<b>92LED222WW</b>	12

**Body:** aluminium alloy | **LED type:** epistar




**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

**GL 223**



Model	Watt	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
				D	H	D1		
GL223WH	21x1W	1470	4000-4300	180	95	160	<b>92LED223WH</b>	12
GL223WW	21x1W	1470	2700-3000	180	95	160	<b>92LED223WW</b>	12

**Body:** aluminium alloy | **LED type:** epistar




**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

**GL FILM**



Model	Watt	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
				D	H	D1		
GL FILM215WH	5W	350	4000-4300	125	70	110	<b>92LED215WH</b>	20
GL FILM215WW	5W	350	2700-3000	125	70	110	<b>92LED215WW</b>	20

**Body:** aluminium alloy | **LED type:** epistar



**Legend:**  
D - Outer diameter  
H - Height of the spotlight  
D1 - Diameter of the cut

**GL FILM**



Model	Watt	Lumen (lm)	Colour temp. (K)	Size (mm)			Catalogue number	Packing (pcs)
				D	H	D1		
GL FILM216WH	10W	700	4000-4300	165	70	140	<b>92LED216WH</b>	20
GL FILM 216WW	10W	700	2700-3000	165	70	140	<b>92LED216WW</b>	20

**Body:** aluminium alloy | **LED type:** epistar